



WWW.MEXIZ.COM

By



Your trusted partner for logistics solutions

The effective management of logistics is vitally important in the health care industry. Efficient storage and transport practices can help to reduce the efforts required to address these issues and redirect the resources to patient care. During its 40 years of service, Belintra has gained extensive experience in logistics and is an expert in the field.



Open dialogue and innovative thinking

Working together, we will explore creative ways to find efficient solutions for your particular needs or develop new solutions with the cutting-edge technologies we use for product development and simulations. This means that fully functional prototypes can be produced for testing.

Using a track and trace system, we will monitor the logistical flow of goods through such technologies as barcode and RFID scanners.



To improve our expertise and stay up-to-date on developments in the field, we attend medical and paramedical conferences.

Quality and cost awareness

We aim to provide the best combination of high quality and affordable prices by keeping a tight control on costs. Approximately half of the production takes place at our own plant, while batch production is outsourced.



Flexibility and fast service

We are committed to responding promptly and efficiently to your inquiries and making the deliveries accordingly. A team of 11 employees is available daily to provide you with support and assistance.

We are always willing to think with you to create a solution that meets your needs.



INTERNAL TRANSPORT

**Reliable partner for the transportation of
medical and pharmaceutical supplies**




- nursing department
- operating room
- intensive care
- emergency
- pharmacy



- central sterilisation department



- central warehouse
- linen
- waste



Ward trolleys

Open, modular ward trolleys conforming to Euronorm standards, NL. ¼ EN. (60 x 40 cm) or 1/8 EN. (30 x 40 cm). Made from tubular steel pipes (20 x 20 mm) with impact-resistant, UV and solvent-resistant polyester powder coating. A 'BACT-O-STOP®' silver-based additive, which prevents the propagation of all known bacteria, is added to the powder coating, which is also resistant to most chemical products.

The height of the standard fitted polyamide rails adjusts in 25 mm increments to suit your requirements. Load capacity per pair of rails: 30 kg.

Advantages of the rails:

- Low noise operation
- Flexible, the rail is height-adjustable in 25 mm increments.
- Drawer stop
- Slip-resistant trays



Standard heights available are 85, 100, 108 and 113 cm. Includes as standard 4, 5, 6 or 6 pairs of nylon rails. Other combinations possible.



Modular ward trolleys 60 x 40 cm

Product number	Description	Dimensions (WxDxH)
18003 00006	Height 85 cm	650 x 450 x 850 mm
18003 00012	Height 100 cm	650 x 450 x 1000 mm
18003 00030	Height 108 cm	650 x 450 x 1080 mm
18003 00001	Height 113 cm	650 x 450 x 1130 mm



Modular ward trolleys 30 x 40 cm

Product number	Description	Dimensions (WxDxH)
18003 00008	Height 85 cm	350 x 450 x 850 mm
18003 00043	Height 100 cm	350 x 450 x 1000 mm



Push handle

Product number	Dimensions (WxDxH)
18003 00002	300 x 400 mm



Connecting unit for PC baskets 30 x 40 cm

Product number	Dimensions (WxD)
18003 00018	300 x 400 mm



Connecting unit for file box

Product number	Dimensions (WxDxH)
18003 00023	300 x 400 mm



File box

Product number	Dimensions (WxDxH) content	Description
15007 00018	400 x 300 x 330 mm - 30 l	w/out case handle - w/out lock
15007 00020	400 x 300 x 330 mm - 30 l	with case handle w/o lock
15007 00017	400 x 300 x 330 mm - 30 l	with case handle and lock



Volkern worktop

Product number	Dimensions (WxD)
14006 00003	600 x 400 mm



Raised edge

Product number	Dimensions (WxD)
18003 00003	600 x 400 mm



Wally waste bin with knee lever - content 12 l

Product number	Dimensions (WxDxH)
18003 00061	220 x 220 x 360



Wire waste basket

Product number	Dimensions (WxDxH)
18003 00050	300 x 160 x 380 mm



Stala with different tray types

Product number	Description	Dimensions (WxDxH)
18003 00004	rack excluding trays	
15010 00005	Stala 9 - 9 trays	602 x 62 x 77 mm
15010 00004	Stala 6 - 6 trays	602 x 88 x 113 mm
15010 00003	Stala 5 - 5 trays	602 x 131 x 164 mm
15010 00002	Stala 4 - 4 trays	602 x 168 x 207 mm
15010 00001	Stala 3 - 3 trays	602 x 197 x 241 mm



Fold-down worktop

Product number	Dimensions (WxD)
18003 00022	445 x 350 mm



Retractable worktop

Product number	Dimensions (WxD)
18003 00019	600 x 400 mm



Stainless steel serum holder

Product number	Description
14008 00004	with 2 hooks
14008 00006	with 4 hooks



Side drain

Product number	Dimensions (WxDxH)
18003 00051	445 x 135 x 80 mm



Nylon rails

Product number	Dimensions (L)
14005 00001	400 mm



Telescopic rails with frame

Product number	Description
18003 00063	400 mm telescopes with soft-closing mechanism and frame 60 cm wide - 40 cm deep

Ward trolleys - open modular designs

Prototypes of a number of designs can be seen below.
References and prices available on request



Worktop made of Volkern



File trolley



Coloured worktop in Volkern or coloured frame



Stainless steel ward trolleys

Open, modular ward trolleys conforming to Euronorm standards, NL. ¼ EN. (60 x 40 cm) or 1/8 EN. (30 x 40 cm).
Made from stainless steel tubular pipes.

The height of the standard fitted polyamide rails adjusts in 25 mm increments to suit your requirements.
Load capacity per pair of rails: 30 kg.

Advantages of the rails:

- Low noise operation
- Flexible, the rail is height adjustable in 25 mm increments.
- Drawer stop
- Slip-resistant trays



Standard heights available are 85, 100, 108 and 113 cm. Includes as standard 4, 5, 6 or 6 pairs of nylon rails. Other combinations possible.



Modular ward trolleys 60 x 40 cm

Product number	Description	Dimensions (WxDxH)
18004 00005	Height 85 cm	650 x 450 x 850 mm
18004 00006	Height 100 cm	650 x 450 x 1000 mm
18004 00007	Height 108 cm	650 x 450 x 1080 mm
18004 00008	Height 113 cm	650 x 450 x 1130 mm



Stainless steel connecting unit for PC basket 30 x 40 cm

Product number	Dimensions (WxD)
18004 00001	300 x 400 mm

Other accessories available on request

Modular trolleys

Trolley for Euronorm trays and baskets (60 x 40 cm)

High gloss, white polyester-coated steel trolley with high UV and solvent resistance. A 'BACT-O-STOP®' silver-based additive, which prevents propagation of all known bacteria, is added to the powder coating, which is also resistant to most chemical products.

Fitted with 11 pairs of U- or L-shaped nylon rail inserts, spaced at intervals of 136 mm between each post, the trolley can accommodate all standard Euronorm trays, baskets and worktops.

Running gear: 4 non-marking, Tente® rubber 'Leichtlauf' swivel castors, Ø 125 mm, of which 2 with brakes, 4 plastic padded corner deflectors.



D-type modular trolleys (= 60 cm deep)

Description	Product number	Dimensions (WxDxH)
ISO 1	18005 00016	460 x 650 x 1800 mm
ISO 2	18005 00019	895 x 650 x 1800 mm
ISO 3	18005 00021	1330 x 650 x 1800 mm



W-type modular trolleys (= 40 cm deep)

Product number	Dimensions (WxDxH)
18005 00017	660 x 450 x 1800 mm



D-type modular trolleys (= 60 cm deep) low model

Available as standard with 2 x 6 pairs of nylon rails

Product number	Dimensions (WxDxH)
18005 00023	920 x 650 x 1150 mm

Other trolley heights and rail quantities available on request



Volkern worktop (6 mm thick)

Description	Product number	Dimensions (WxDxH)
ISO 1 D-type	18005 00006	566 x 413 x 6 mm
ISO 2 D-type	18005 00007	566 x 856 x 6 mm
ISO 3 D-type	18005 00008	566 x 1299 x 6 mm



Fold-down worktop for D-type trolleys

Product number	Dimensions (WxD)
18005 00024	600 x 400 mm



Retractable worktop

Description	Product number	Dimensions (WxD)
D-type	18005 00073	400 x 600 mm
W-type	18005 00079	600 x 400 mm



Vertical push handle for D-type trolleys

Product number	Description
18005 00002	1 pair of vertical push handles



Horizontal push handle for low D-type trolleys

Artikelnummer	Omschrijving
18005 00075	Horizontal push handle



Telescopic rails with frame

Product number	Description
16002 00008	400 mm telescopes with soft-closing mechanism and frame 40 cm deep - 60 cm wide
16002 00009	600 mm telescopes with soft-closing mechanism and frame 60 cm deep - 40 cm wide



Trolley with mesh shelves and rails

The trolley comes with a profile frame for three 90 x 60 cm mesh shelves, 5-bar back support and 1 profile frame with 11 pairs of nylon rails, 60 cm deep.
Running gear: 4 non-marking Tente® rubber 'Leightlauf' swivel castors on wheelplate, Ø 160 mm, of which 2 fixed and 2 swivel castors

Product number	Dimensions (WxDxH)
18005 00012	1400 x 650 x 1850 mm



Option: Vertical push handles



Option: Volkern worktop (6 mm thick)

Product number	Dimensions (WxDxH)
18005 00005	566 x 1342 x 6 mm

Modular stainless steel trolleys

Trolley for Euronorm trays and baskets (60 x 40 cm)

AISI 304 stainless steel trolley fitted with 11 pairs of stainless steel rails per support frame for lengthwise insertion of trays.
The standard distance between the rails is 125 mm.

Running gear: 4 non-marking, Tente® rubber 'Leichtlauf' swivel castors, Ø 125 mm, of which 2 with brakes, Stainless steel wheel fork and 4 plastic padded corner deflectors.

Various accessories available on request



D-type, modular, stainless steel trolleys (= 60 cm deep)

Description	Product number	Dimensions (WxDxH)
ISO 1	18006 00005	460 x 650 x 1750 mm
ISO 2	18006 00006	895 x 650 x 1750 mm
ISO 3	18006 00007	1330 x 650 x 1750 mm

Other trolley heights and rail quantities available on request



Stericart

This modular trolley is resistant to the high temperatures of an autoclave and suitable for use in a wash tunnel or wash cubicle. It is made entirely of corrosion-resistant components, heat-resistant plastic and AISI 304 stainless steel with an electropolished finish.

The trolley comes with 11 pairs of stainless steel L-shaped rails installed at 126 mm intervals.

Running gear: 4 swivel castors Ø 100 mm, with an inox fork with heat-resistant bearing surface. Stericarts are resistant against temperatures of up to 150°C.

Other dimensions available on request.



Stericart

Product number	Dimensions (WxDxH)
30009 00004	460 x 630 x 1650 mm
30009 00007	660 x 630 x 1650 mm



Pully

Stainless steel cart fitted with plastic handle for pulling the Stericart out of the autoclave.

Product number
30003 00001

Intrarack modular trolleys

The Intrarack is a modular, chrome-plated steel racking system with profile frames and mesh shelves.

Running gear: 4 non-marking rubber 'Leightlauf' swivel castors, Ø 125 mm, of which 2 with brakes and 4 plastic padded corner deflectors.

Profile frames, mesh shelves and accessories available in various dimensions. The trolley can be assembled to your requirements.

Polyester cover available for indoor and outdoor use.

You can find the components of the Intrarack trolleys further on in this document.



Roll containers for transport of medical supplies



Intrabox III roll container

The Intrabox is water-resistant and can be easily cleaned and disinfected.
Version: galvanised, yellow chromate coating
Nylon padded metal components for noisless transport.

The roll container comes with:

- A robust nylon-padded base
- Two side walls with baseplate
- A fixed back support
- Two rotating shelves
- Three grey ratchet straps and safety handle
- 4 non-marking Tente® rubber 'Leichtlauf' castors, Ø 125 mm. The castors come with precision ball bearings and threadguards.

Empty weight = 55 kg - Loading capacity = 600 kg
Internal dimensions: 800 x 600 x 1600 mm

Product number	Dimensions (WxDxH)
13005 00007	860 x 620 x 1800 mm



Reinforced, water-resistant polyester cover for Intrabox III roll container

Product number
13005 00002



Pull rod for Intrabox III roll container

Product number	Description
13003 00015	Heavy version
13003 00014	Light version



Aluminium identification plate for Intrabox III roll container

Product number
13005 00003



Grey ratchet straps for Intrabox III roll container

Artikelnummer
13005 00006



RC 11 roll container

Available in various configurations; optionally with fixed back support, half front support structure, loose shelves.

Version: Galvanised, yellow chromate coating.

Empty weight = 35 kg - Loading capacity = 500 kg

Internal dimensions: 780 x 630 x 1500 mm

RC11 roll container with fixed back support - half front support structure and 2 ratchet straps

Product number	Dimensions (WxDxH)
13004 00006	800 x 660 x 1700 mm

RC11 roll container with only bottom, wheels and side supports

Artikelnummer	Afmetingen (BxDxH)
13004 00002	800 x 660 x 1700 mm



Options for RC 11 roll container

Description	Product number
Black ratchet strap for RC11	13001 00008
Fixed back support for RC11	13004 00021
Half front support for RC11	13004 00008
Rotating shelf for RC11	13004 00010
Loose shelf for RC11	13004 00011
Textile interior cover for RC11	13004 00027

Medicart with drawers

This Euronorm compliant trolley, made from four rounded aluminium profiles, combined with plastic materials, can accommodate all standard Euronorm 600 x 400 mm baskets. You can easily mount all accessories on these aluminium profiles. The panels (side and rear) are produced from hygienic, water-resistant hex-pl plate with scratch-resistant HPL coating. The worktop is made from Kydex.

The trolley is light and manoeuvrable, thanks to the materials used (aluminium and plastic), which are resistant to corrosion, detergent and disinfectant, UV and heat.

Running gear: 4 grey, non-marking, bearing-mounted swivel castors (of which 1 rifix and 1 with brake), Ø 125 mm, with polyurethane rims. Minimum rolling resistance, thanks to the Easy-roll Tente® castors.

Standard colour: U67.001 PE silver grey. Other colours available on special request.

As per your requirements, the Medicarts can be provided with:

- drawers on telescopic rails
- modular walls, with or without closed doors
- combinations of the above
- different options



Medicart with drawers

Please find below, a number of possible combinations of drawers and related heights. If, however, you would prefer to have the trolleys customised to your requirements, feel free to contact us.

Medicart with one 5 cm drawer, three 10 cm drawers and one 20 cm drawer.

Product number	Dimensions (WxDxH)	Worktop height
19008 00020	715 x 565 x 940 mm	890 mm

Medicart with one 5 cm drawer, four 10 cm drawers and one 20 cm drawer.

Product number	Dimensions (WxDxH)	Worktop height
19008 00010	715 x 565 x 1070 mm	1020 mm

Medicart with three 10 cm and two 20 cm drawers.

Product number	Dimensions (WxDxH)	Worktop height
19008 00004	715 x 565 x 1085 mm	1035 mm

Medicart with one 5 cm drawer and six 10 cm drawers.

Product number	Dimensions (WxDxH)	Worktop height
19008 00009	715 x 565 x 1100 mm	1050 mm


Medicart with five 10 cm drawers and one 20 cm drawer.

Product number	Dimensions (WxDxH)	Worktop height
19008 00008	715 x 565 x 1120 mm	1070 mm

Medicart with seven 10 cm drawers.

Product number	Dimensions (WxDxH)	Worktop height
19008 00005	715 x 565 x 1150 mm	1100 mm

All medicarts need to be provided with baskets and dividers



Medicart with doors (and drawers)

This Euronorm compliant trolley, made from four rounded aluminium profiles, combined with plastic materials, can accommodate all standard Euronorm 600 x 400 mm baskets. You can easily mount all accessories on these aluminum profiles. The panels (side and rear) are produced from hygienic, water-resistant hex-pl plate with scratch-resistant HPL coating. The worktop is made from Kydex. The trolley is light and manoeuvrable, thanks to the materials used (aluminium and plastic), which are resistant to corrosion, detergent and disinfectant, UV and heat.

Running gear: 4 grey, non-marking, bearing-mounted swivel castors (of which 1 rifix and 1 with brake), Ø 125 mm, with polyurethane rims. Minimum rolling resistance, thanks to the Easy-roll Tente® castors.

The 2 doors open to 270° and can be locked with a either a key or an electronic lock. The internal modular walls can be fitted with different Euronorm trays and baskets of choice.

Standard colour: U67.001 PE silver grey. Other colours available on special request.



2-door Medicart

Fitted with modular walls, it is lockable with a 2-locking system with key. A special mechanism keeps the left door closed when the right door is closed.

Note: We do not recommend accessories with this line, because of the rotating doors.

Product number	Dimensions (WxDxH)
19011 00026	715 x 565 x1300 mm
19011 00027	715 x 565 x 1650 mm

Medicart with roller door

This Euronorm compliant trolley, made from four rounded aluminium profiles, combined with plastic materials, can accommodate all standard Euronorm 600 x 400 mm baskets. You can easily mount all accessories on these aluminum profiles. The panels (side and rear) are produced from hygienic, water-resistant hex-pl plate with scratch-resistant HPL coating. The worktop is made from Kydex. The trolley is light and manoeuvrable, thanks to the materials used (aluminium and plastic), which are resistant to corrosion, detergent and disinfectant, UV and heat.

Running gear: 4 grey, non-marking, bearing-mounted swivel castors (of which 1 rifix and 1 with brake), Ø 125 mm, with polyurethane rims. Minimum rolling resistance, thanks to the Easy-roll Tente® castors.

The trolley is fitted with an aluminium roller door with a push button which can be locked with a key lock or an electronic number lock. It is not fitted with accessories and amenities (available on request).

Standard colour: U67.001 PE silver grey. Other colours available on special request.



Medicart with roller door

Product number	Description	Dimensions (WxDxH)	Worktop height
19009 00061	Key lock	740 x 570 x 1125 mm	1075 mm
19009 00062	Electronic number lock	740 x 570 x 1125 mm	1075 mm
19009 00079	Key lock with drawer for portable	740 x 570 x 1215 mm	1165 mm
19009 00070	Number lock with drawer for portable	740 x 570 x 1215 mm	1165 mm

Medicart accessories



Grey-coated, aluminium connecting unit

This connecting unit accommodates PC baskets, 30 x 40 x 10 cm and 30 x 40 x 20 cm. A 30 x 40 cm Volkern tray can also be fitted as an option.

Product number
19010 00003



Grey-coated, steel push handle

Product number
19010 00005



Grey metal bin

Product number	Dimensions (WxDxH)
19010 00006	300 x 160 x 380 mm



2 side-by-side waste bins, steel, painted grey

Product number	Dimensions (WxDxH)
19010 00017	440 x 251 x 380 mm



Wally® waste bin with knee lever (content 12 litres)

Lid opens by simply pressing your knee against the knee lever. The Wally® is unique in the field of ergonomics and hygiene.

Product number	Description
19010 00023	1 Wally
19010 00024	2 side-by-side Wallys



Side drain for Medicart

Product number	Dimensions (WxDxH)
19010 00002	132 x 500 x 82 mm



Fold-down worktop

Product number	Dimensions (WxDxH)
19010 00008	500 x 400 x 15 mm



Retractable worktop

Product number	Dimensions (WxD)
19010 00011	600 x 400 mm



Stala with different tray types

Product number	Description	Dimensions (WxDxH)
19010 00010	rack excluding trays	
15010 00005	Stala 9 - 9 trays	602 x 62 x 77 mm
15010 00004	Stala 6 - 6 trays	602 x 88 x 113 mm
15010 00003	Stala 5 - 5 trays	602 x 131 x 164 mm
15010 00002	Stala 4 - 4 trays	602 x 168 x 207 mm
15010 00001	Stala 3 - 3 trays	602 x 197 x 241 mm



Drain fixture for Stala structure

Product number	Dimensions (WxDxH)
19010 00001	132 x 600 x 82 mm



Inox worktop

Product number	Description
19003 00049	Stainless steel worktop without raised edge
19003 00050	Stainless steel worktop with raised edge



Flex arm for laptop

Product number
14009 00001



PC arm with keyboard and mouse pad

Product number
14009 00002



Kensington lock for securing portable media

Product number	Description
14009 00013	Combination lock
14009 00014	with key



Retractable drawer for portable with electronic number lock

Product number
19003 00192



ISO-compliant, Dialock electronic locking system

Product number	Description
14010 00003	Dialock ISO
14010 00004	Teardrop Blue
14010 00005	Teardrop Red
14010 00009	Card



Connecting unit for disinfectant tray

Product number	Description
19010 00020	Connecting unit
15001 00004	Disinfectant tray



Connecting unit for file box

Product number
19010 00004



File box

The file box is made from a Euronorm stackable tray 300 x 400 x 340 mm.
2 wall-mounted profile frames with 330 mm insertion width, good for approximately 30 suspension files.
The box can be fitted with a cylinder lock.

Product number	Dimensions (WxDxH) content	Description
15007 00018	400 x 300 x 330 mm - 30 l	w/out case handle - w/out lock
15007 00020	400 x 300 x 330 mm - 30 l	with case handle w/o lock
15007 00017	400 x 300 x 330 mm - 30 l	with case handle and lock



Connecting unit for open file tray

The open file box is supplied with 8 standard suspension files

Product number	Description
19010 00018	Connecting unit
15001 00005	Open file tray



File compartment

Product number
19010 00026



Stainless steel serum holder

Product number	Description
14008 00004	with 2 hooks
14008 00006	with 4 hooks



Connecting unit with 2 waste bins 9 litres

Product number
19010 00025



Containerholder for needles

Product number
19010 00007

Accessories for the closed Medcart

The Medcarts can be fitted in different ways. For more information about the options, see the section on trays and baskets.



Modular trays and baskets 60 x 40 cm



Medication tray holders



Medication organiser trays



Aluminum trolleys

Compliant with Euronorm standards, NL 1/4 EN. (60 x 40 cm) and 1/8 EN. (30 x 40 cm).

Cabinet is made from a light but solid aluminum alloy plate, AlMg3 (5754) and all aluminium components are anodised. The cabinet is built on top of a polyester-coated steel chassis. Running gear: 4 (two fixed and two swivel) Tente® castors in super-elastic, non-marking grey rubber, Ø 160 mm, with precision ball bearings. (The ISO1 trolleys come with Ø 125 mm castors) The nylon rails (PA6) move inside a vertically fitted aluminium bar. The rails and the aluminium bar (rails/ladders) can be easily disassembled for thorough, simple and efficient cleaning of the trolley.

During production, the height between the rails can be easily adjusted to the customer's requirements (standard 110 mm.) The doors can be opened to 270° and secured against the side wall with magnetic catches. During construction, special consideration was given to ergonomics and hygiene.

A plastic-cushioned deflector frame is mounted over the chassis. Thanks to the combined "U" and "L"-shaped profile, all Euronorm baskets and trays can be transported in these trolleys.



Aluminum trolleys - depth 60 cm



Description	Number of rails	Product number	Dimensions (WxDxH)
ISO 1 low	9 pairs of rails	19005 00005	560 x 740 x 1380 mm
ISO 1 high	12 pairs of rails	19005 00004	560 x 740 x 1630 mm
ISO 2 low	18 pairs of rails	19005 00007	990 x 740 x 1490 mm
ISO 2 high	24 pairs of rails	19005 00006	990 x 740 x 1740 mm
ISO 3 low	27 pairs of rails	19005 00009	1420 x 740 x 1490 mm
ISO 3 high	36 pairs of rails	19005 00008	1420 x 740 x 1740 mm



Aluminum trolleys - depth 40 cm with modular frame walls

Description	Columns	Product number	Dimensions (WxDxH)
N204 modul1	1 column	-	700 x 530 x 1330 mm
N204 modul	2 columns	19005 00025	1400 x 530 x 1420 mm



Plastic-cushioned deflector frame top

Product number
19002 00002



Pull rod mechanism

Artikelnummer
19002 00001



Cylinder lock with a set of keys

Product number
20003 00015



A4 or A5 document holder

	Product number
A4	20003 00014
A5	20003 00212



Brake for swivel castors


Product number
20003 000213

STORAGE

**Reliable partner for storage
of medical and pharmaceutical supplies**



- nursing department
- operating room
- intensive care
- emergency
- pharmacy
- central sterilisation department
- central warehouse



UFlex II modular rack - steel coated

The UFlex II modular rack is an integrated storage system for Euronorm baskets and trays (60 x 40 cm), DIN baskets (60 x 30 cm) and shelves.

BactoStop® powder-coated, grey steel frame with 2m stands on adjustable plastic feet connected by 4 spacers.
The stands consist of up to 25 positions, which adjust in 68 mm to suit customer requirements.
Each stand has a carrying capacity of 600 kg.



Each rack comes with 2 stands connected by 4 spacers

Stands

Product number	Dimensions
16005 00015	depth 40 cm
16005 00014	depth 60 cm

Spacers (set of 4)

Product number	Dimensions
16005 00007	width 30 cm
16005 00006	width 40 cm
16005 00009	width 60 cm
16005 00008	width 90 cm

3 types of shelves are available

Epoxy-coated steel shelf

Product number	Dimensions
16005 00011	900 x 400 mm
16005 00010	900 x 600 mm

Stainless steel shelf

Product number	Dimensions
16007 00002	900 x 400 mm
16007 00001	900 x 600 mm

Chrome-plated steel wire shelves

Product number	Dimensions
16002 00003	900 x 400 mm
16002 00002	900 x 600 mm



UFlex II modular rack - Aluminium

The UFlex II modular rack is an integrated storage system for Euronorm baskets and trays (60 x 40 cm), DIN baskets (60 x 30 cm) and shelves.

Aluminium framework with 2150 mm stands on adjustable plastic feet connected by 4 spacers. The stands consist of up to 25 positions, which adjust in 68 mm to suit customer requirements. Each stand has a carrying capacity of 600 kg.



Each rack comes with 2 stands connected by 4 spacers

Stands

Product number	Dimensions
16006 00005	depth 40 cm
16006 00004	depth 60 cm

Spacers (set of 4)

Product number	Dimensions
16006 00008	width 30 cm
16006 00007	width 40 cm
16006 00010	width 60 cm
16006 00009	width 90 cm



3 types of shelves are available

Aluminium shelf

Product number	Dimensions
16006 00002	900 x 400 mm
16006 00001	900 x 600 mm

Stainless steel shelf

Product number	Dimensions
16007 00002	900 x 400 mm
16007 00001	900 x 600 mm

Chrome-plated steel wire shelves

Product number	Dimensions
16002 00003	900 x 400 mm
16002 00002	900 x 600 mm

Various types of rails can be combined during construction

Nylon rails



Product number	Dimensions
14005 00004	depth 40 cm
14005 00006	diagonal length 40 cm
14005 00003	depth 60 cm
14005 00005	diagonal length 60 cm

Stainless steel rails for DIN type



Product number	Dimensions
14005 00002	depth 60 cm

Telescopic rails



Product number	Dimensions
14004 00006	depth 40 cm

Telescopic rails with frame



Product number	Description
16002 00008	400 mm telescopes with soft-closing mechanism and frame for UFlex modular rack
16002 00009	600 mm telescopes with soft-closing mechanism and frame for UFlex modular rack

Frame for catheter holders

Room for up to 16 catheter holders



	Product number	Dimensions
Frame for catheter holders	16002 00001	600 x 400 mm
Catheter holder with adjustable feet	30004 00001	135 x 530 x 85 mm

Intrarack modular system

The Intrarack is a modular, chrome-plated steel racking system with profile frames and mesh shelves.

Profile frames, mesh shelves and accessories available in various dimensions.



Posts

Product number	Dimensions	
16003 00021	1650 mm - fixed	DP 64 S
16003 00023	1800 mm - fixed	DP 72 S
16003 00025	2180 mm - fixed	DP 84
16003 00022	1650 mm - mobile	DP 64 M
16003 00024	1800 mm - mobile	DP 72 M



Wire shelves depth 45 cm

Product number	Dimensions	
16003 00090	456 x 456 mm	WS 1818
16003 00091	456 x 610 mm	WS 1824
16003 00092	456 x 764 mm	WS 1830
16003 00093	456 x 912 mm	WS 1836
16003 00094	456 x 1062 mm	WS 1842
16003 00095	456 x 1217 mm	WS 1848
16003 00096	456 x 1520 mm	WS 1860
16003 00097	456 x 1826 mm	WS 1872



Wire shelves depth 61 cm

Product number	Dimensions	
16003 00105	610 x 610 mm	WS 2424
16003 00106	610 x 764 mm	WS 2430
16003 00107	610 x 912 mm	WS 2436
16003 00108	610 x 1062 mm	WS 2442
16003 00109	610 x 1217 mm	WS 2448
16003 00110	610 x 1520 mm	WS 2460
16003 00111	610 x 1826 mm	WS 2472



Shelf dividers

Product number	Dimensions	
16003 00068	456 mm	SD 18
16003 00070	610 mm	SD 24



Shelf edges

Product number	Dimensions	
16003 00072	456 mm	SE 18
16003 00074	610 mm	SE 24
16003 00075	764 mm	SE 30
16003 00076	912 mm	SE 36
16003 00077	1062 mm	SE 42
16003 00078	1217 mm	SE 48
16003 00079	1520 mm	SE 60



Clothing rod

Product number	Dimensions	
16003 00013	570 mm	CR 22
16003 00014	1180 mm	CR 46
16003 00015	1485 mm	CR 58

Retractable clothing rod in stainless steel

Product number	
14001 00006	MK 300



Exterior handle for Intrarack trolley

Product number	Dimensions	
16003 00080	456 mm	SH 18
16003 00082	610 mm	SH 24



Exterior handle for Intrarack attendance trolley

Product number	Dimensions	
16003 00002	456 mm	CH 18
16003 00004	610 mm	CH 24



Perimeter rod

Product number	Dimensions	
16003 00064	1580 mm	PR
16003 00066	1800 mm	PR 1800



Nylon clamp with cable tie for perimeter rod

Product number	
16003 00033	IC



S-clamp (to connect 2 shelves; 2/shelf)

Product number	
16003 00032	HOOK



Label holder

Product number	
16003 00030	EH


Triangular foot

Product number	
16003 00083	TF



Wheels diameter 125 mm

Product number	Description
99005 00001	Swivel wheel dia 125 mm
99005 00002	Swivel wheel w. brake dia 125 mm
16003 00019	Donut bumpers (DB)



Intraframe for Intraracks depth 45 cm

Product number	Dimensions	
16003 00127	456 x 912 mm	IF 1836
16003 00126	456 x 1217 mm	IF 1848
16003 00128	456 x 1520 mm	IF 1860
16003 00129	456 x 1826 mm	IF 1872



Intraframe for Intraracks depth 61 cm

Product number	Dimensions	
16003 00131	610 x 912 mm	IF 2436
16003 00130	610 x 1217 mm	IF 2448
16003 00132	610 x 1520 mm	IF 2460
16003 00133	610 x 1826 mm	IF 2472



Polyester cover for Intrarack trolleys - Dimensions on request



Standard modular cabinets

The standard melamine chipboard cabinets comply with Euronorm standards NL 1/4 EN. (60 x 40 cm) and 1/8 EN. (30 x 40 cm) and are available in U67.005 PE grey, 18 mm thickness, with ABS edge trimming and a 100 mm waterproof black plinth with glued-on multiplex and 4 adjustable feet.

210 cm in height, they can be fitted with modular walls and/or telescopic rails. The cabinets come with one door with lock (optional).

Available in D-type (40 cm wide - 60 cm deep) and W-type (60 cm wide - 40 cm deep).

If required, we can install the cabinets for you.



D-type modular cabinet

	Product number	Dimensions
Without door	17003 00002	454 x 660 x 2100 mm
Right opening door	17003 00001	454 x 680 x 2100 mm
Left opening door	17003 00014	454 x 680 x 2100 mm




W-type modular cabinet

	Product number	Dimensions
Without door	17004 00002	654 x 465 x 2100 mm
Right opening door	17004 00001	654 x 485 x 2100 mm
Left opening door	17004 00011	654 x 485 x 2100 mm



Ratchet lock for modular cabinet

Product number
17002 00001



Frame walls

Product number	Dimensions (WxDxH)
14003 00006	652 x 390 x 29 mm



Stop clamps

Product number	Description
14003 00008	Left stop
14003 00009	Right stop
14003 00010	Universal stop



Ergonomic frame walls

Product number	Dimensions (WxDxH)
14003 00014	650 x 390 x 29 mm



Stop clamps for oblique frame walls

Product number	Description
14003 00015	Left stop
14003 00016	Right stop
14003 00017	Universal stop



Catheter holders

Product number	Description
17002 00009	for cabinet 60 cm deep - 3 frames
17003 00010	for cabinet 40 cm deep - 5 frames



Telescopic rails with frame

Product number	Description
17004 00020	400 mm telescopes with soft-closing mechanism and frame 60 cm wide - 40 cm deep
17003 00015	600 mm telescopes with soft-closing mechanism and frame 40 cm wide - 60 cm deep



Volkern worktops

Colour: white (other colours available on request)

Product number	Dimensions (WxDxH)
14006 00002	300 x 400 x 6 mm
14006 00003	600 x 400 x 6 mm



Door rail for label holders

Product number	Dimensions (WxDxH)
14001 00002	330 x 3 x 20 mm
14001 00003	530 x 3 x 20 mm



A4 paper size holder - aluminium

Product number
20003 00014

Here is an example of our modular cabinet.

These depths comply with Euronorm standards, NI. 1/4 EN. (60 x 40 cm) and 1/8 EN. (30 x 40 cm)

Cabinets with doors, roller door and drawers can be integrated into 1 unit.
The cabinets can be fitted with frame walls, telescopic rails and/or shelves.



TRAYS AND BASKETS

**Reliable partner for all your
Euronorm trays, baskets and
medication distribution systems**

- 30 x 40 cm


- 60 x 40 cm

- 60 x 30 cm



PC BASKETS

The modular Medstor® baskets are produced in compliance with Euronorm standards, Nl. 1/4 EN. (60 x 40 cm) and 1/8 EN. (30 x 40 cm). They are injection moulded in clear polycarbonate. Polycarbonate has high-quality mechanical properties, superior to ABS or Polypropylene. The baskets have a load-bearing capacity of 35 kg and are highly resistant to breaking and impact, e.g. if dropped. PC is very tough: it can break at 80% distortion and is resistant to high temperatures. The baskets may be sterilised at 125°C. The high level of transparency make the PC baskets easier to use: the see-through basket makes it easy to find what you are looking for. The baskets are compatible with all other products in Belintra's Euronorm-compliant product range.



PC basket 30 x 40 x 5 cm

Effective bottom area = 230 x 330 mm
11 lengthwise dividers

Product number	Dimensions (WxDxH)
15004 00028	300 x 400 x 50 mm



Divider for PC basket 30 x 40 x 5 cm

Product number	Dimensions (WxDxH)
15003 00019	300 x 50 mm
15003 00012	400 x 50 mm



PC basket 30 x 40 x 10 cm

Effective bottom area = 230 x 330 mm
11 lengthwise dividers

Product number	Dimensions (WxDxH)
15004 00002	300 x 400 x 100 mm



Divider for PC basket 30 x 40 x 10 cm


Product number	Dimensions (WxDxH)
15003 00027	300 x 100 mm
15003 00007	400 x 100 mm



PC basket 30 x 40 x 20 cm


Effective bottom area = 230 x 330 mm
11 lengthwise dividers

Product number	Dimensions (WxDxH)
15004 00004	300 x 400 x 200 mm



Divider for PC basket 30 x 40 x 20 cm


Product number	Dimensions (WxDxH)
15003 00009	400 x 200 mm



PC basket 60 x 40 x 5 cm


Effective bottom area = 330 x 530 mm
19 lengthwise dividers
11 crosswise dividers

Product number	Dimensions (WxDxH)
15004 00010	600 x 400 x 50 mm



Dividers for PC basket 60 x 40 x 5 cm

Product number	Dimensions (WxDxH)
15003 00017	600 x 50 mm
15003 00012	400 x 50 mm



PC basket 60 x 40 x 10 cm

Effective bottom area = 520 x 320 mm
19 lengthwise dividers, 11 crosswise dividers

Product number	Dimensions (WxDxH)
15004 00006	600 x 400 x 100 mm



Divider for PC basket 60 x 40 x 10 cm

Product number	Dimensions (WxDxH)
15003 00013	600 x 100 mm
15003 00007	400 x 100 mm



PC basket 60 x 40 x 20 cm

Effective bottom area = 520 x 320 mm
19 lengthwise dividers, 11 crosswise dividers

Product number	Dimensions (WxDxH)
15004 00008	600 x 400 x 200 mm



Divider for PC basket 60 x 40 x 20 cm

Product number	Dimensions (WxDxH)
15003 00015	600 x 200 mm
15003 00009	400 x 200 mm




T-piece for holding dividers in place

A plastic T-piece can be used to ensure that the dividers are held in place more securely.

Product number

15002 00001



Frame for suspension files in 20 cm deep PC basket

Product number	Description
14001 00023	for tray 300 x 400 x 200 mm
14001 00022	for tray 600 x 400 x 200 mm

ABS baskets

The modular Medstor® baskets are produced in compliance with Euronorm standards, NI. ¼ EN. (60 x 40 cm) and 1/8 EN. (30 x 40 cm). They are injection-moulded in ABS (Acrylonitrile Butadiene Styrene), which serves as the most favourable solution for modular plastic storage systems. ABS is antistatic, has good chemical resistance and high-quality mechanical properties.


The light grey baskets can be separated by the highly clear polycarbonate dividers.

The baskets are compatible with all other products in Belintra's Euronorm-compliant product range.




ABS basket 30 x 40 x 5 cm

Product number	Dimensions (WxDxH)
15005 00018	300 x 400 x 50 mm



Dividers for basket 30 x 40 x 5 cm


Product number	Dimensions (WxDxH)
15003 00019	300 x 50 mm
15003 00012	400 x 50 mm



ABS basket 60 x 40 x 5 cm

Effective bottom area = 330 x 530 mm
11 lengthwise dividers, 7 crosswise dividers

Product number	Dimensions (WxDxH)
15005 00015	600 x 400 x 50 mm



Dividers for basket 60 x 40 x 5 cm


Product number	Dimensions (WxDxH)
15003 00017	600 x 50 mm
15003 00012	400 x 50 mm



ABS basket 60 x 40 x 10 cm

Effective bottom area = 320 x 520 mm
19 lengthwise dividers, 11 crosswise dividers

Product number	Dimensions (WxDxH)
15005 00013	600 x 400 x 100 mm



Dividers for basket 60 x 40 x 10 cm


Product number	Dimensions (WxDxH)
15003 00013	600 x 100 mm
15003 00007	400 x 100 mm



ABS basket 60 x 40 x 20 cm

Effective bottom area = 320 x 520 mm
19 lengthwise dividers, 11 crosswise dividers

Product number	Dimensions (WxDxH)
15005 00014	600 x 400 x 200 mm



Dividers for basket 60 x 40 x 20 cm

Product number	Dimensions (WxDxH)
15003 00015	600 x 200 mm
15003 00009	400 x 200 mm



T-piece for holding dividers in place

A plastic T-piece can be used to ensure that the dividers are held in place more securely.

Product number
15002 00001

Full ABS baskets

These full modular baskets are produced in compliance with Euronorm standards, NI. ¼ EN. (60 x 40 cm). They are injection-moulded in ABS (Acrylonitrile Butadiene Styrene), which serves as the most favourable solution for modular plastic storage systems. ABS is antistatic, has good chemical resistance and high-quality mechanical properties.


The light grey baskets can be separated by the highly clear polycarbonate dividers.

The baskets are compatible with all other products in Belintra's Euronorm-compliant product range.



Full ABS basket 60 x 40 x 10 cm

Product number	Dimensions (WxDxH)
15005 00008	600 x 400 x 100 mm



Dividers for basket 60 x 40 x 10 cm

Product number	Dimensions (WxDxH)
15003 00013	600 x 100 mm
15003 00007	400 x 100 mm



Full ABS basket 60 x 40 x 20 cm

Product number	Dimensions (WxDxH)
15005 00019	600 x 400 x 200 mm



Dividers for basket 60 x 40 x 20 cm

Product number	Dimensions (WxDxH)
15003 00015	600 x 200 mm
15003 00009	400 x 200 mm

White-coated wire baskets

The wire baskets comply with Euronorm standard ¼: 60 x 40 cm.

The polyester powder-coated steel provides good UV resistance and the material is resistant to abrasion and most chemical products.

The rim is made from Ø 6mm steel wire and the basket from Ø 4mm wire.

It has 25 kg load bearing capacity.

The baskets can be separated by dividers: X lengthwise dividers and Y crosswise dividers.

The coating meets the highest standards of hygiene. The wires are entirely free of welding burrs, openings or distortion.

the baskets are compatible with all other products in the Euronorm product range of Belintra.



Modular wire basket 60 x 40 x 10 cm

Product number	Dimensions (WxDxH)
15006 00001	600 x 400 x 100 mm




Dividers for wire baskets 60 x 40 x 10 cm

Product number	Dimensions (WxD)
15006 00003	400 x 100 mm
15006 00005	600 x 100 mm



Modular wire basket 60 x 40 x 18 cm

Product number	Dimensions (WxDxH)
15006 00002	600 x 400 x 180 mm



Dividers for wire baskets 60 x 40 x 18 cm

Product number	Dimensions (WxD)
15006 00004	400 x 180 mm
15006 00006	600 x 180 mm

Closed tray with lid

The closed Euronorm tray is made of Polypropylene. Lengthwise and/or crosswise dividers can be installed, thanks to the unique shape of the side walls. This tray is easy to clean due to the absence of grooves or cavities in the tray. A sealable lid assembly is available. The tray may be washed in a wash tunnel at temperatures up to 100°C.



Closed polypropylene tray in steel blue

Product number	Dimensions (WxDxH)
15007 00009	600 x 400 x 200 mm



Dividers for polypropylene tray

Product number	Dimensions (WxD)
15007 00011	600 x 200 mm
15007 00010	400 x 200 mm



Sealable lid assembly for polypropylene tray in dark grey

Product number	Dimensions (WxD)
15007 00008	600 x 400 mm

Opiate drawers


These opiate drawers consist of an ABS tray, separable, with aluminum lid and lock. They can be used both in modular cabinets as in trolleys.



Opiate drawer

Description	Product number	Dimensions (WxDxH)
60 cm depth	14001 00007	400 x 600 x 100 mm
40 cm depth	14001 00008	600 x 400 x 100 mm

Label holders



Nylon label holder for labels up to 50 x 60 mm

Product number	Dimensions (WxDxH)
15008 00015	Landscape - 60 x 50 mm
15008 00016	Portrait - 50 x 75 mm



Two-piece label holder for labels up to 40 x 60 mm

Product number	Description
15008 00010	white ABS holder
15008 00011	image



Two-piece Credit Card size label holder for labels up to 54 x 85 mm

Product number	Description
15008 00012	plastic holder
15008 00013	white insert



Floppy label holder for labels up to 50 x 85 mm

Product number	Dimensions (WxDxH)
15008 00009	floppy 95 x 65 mm



Multifix Credit Card size label holder - big size 90 x 58 mm

Product number	Description
15008 00019	plastic holder
15008 00020	back plate
15008 00013	white insert



Multifix 1/2 Credit Card size label holder - small size 63 x 45 mm

Product number	Description
15008 00018	plastic holder
15008 00020	back plate
15008 00021	white insert

Medication tray holder

Medication tray holders, 60 x 40 cm, fitted with 8 medication organiser trays. Colour: grey.



Description	Product number	Dimensions (WxD)
Holder with 8 trays	15011 00053	600 x 400 mm

Description	Product number	Dimensions (WxDxH)
Medication tray holder	15011 00053	600 x 400 mm
Medicine organiser tray	15011 00054	60 x 340 x 34 mm

Medication organiser trays

Made from clear polystyrene, these 400 mm trays can be divided into 7 compartments. Labels can be attached to the front, top and back as well as to the dividers. A tray holder is available for using the trays in the modular system.



Medication organiser trays

Product number	Dimensions (WxDxH) outside	Dimensions (WxDxH) inside
15011 00038	400 x 92 x 82 mm	357 x 75 x 70 mm
15011 00039	400 x 132 x 100 mm	357 x 110 x 90 mm
15011 00040	400 x 186 x 82 mm	357 x 167 x 70 mm



Dividers for medication organiser trays

Product number	Dimensions (W)
15011 00041	92 mm
15011 00042	132 mm
15011 00043	186 mm



Tray holder for medication organiser trays

The tray holder can be used in ward trolleys, ISO trolleys, modular cabinets and UFlex racks, It accommodates six 92 mm trays, four 132 mm trays or three 186 mm trays.

Product number	Dimensions (WxD)
14001 00016	600 x 400 mm

STERILISATION



**Reliable partner for storage
and transport of instruments
and medical supplies**

- Pharmacy

- Operating room

- Central sterilisation department




Stainless steel wire baskets

AISI 304 stainless steel wire, active ingredient Nr 1.4301 (18/10 chrome nickel steel). Electropolished, the top and bottom wire is made of Ø 6 mm steel wire, other wires in Ø 4 mm.

The baskets are made to the highest quality standards. The baskets are entirely free of welding burrs, openings, distortion of wires or weld discolouration. Stackable and nestable, the baskets are compatible with all other products in Belintra's Euronorm product range.



Stackable




Nestable



ISO-stainless steel wire baskets 60 x 40 cm

Product number	Dimensions (WxDxH)
30005 00002	600 x 400 x 100 mm
30005 00004	600 x 400 x 130 mm
30005 00007	600 x 400 x 200 mm



Stainless steel wire baskets DIN 60 x 30 cm

Product number	Dimensions (WxDxH)
30005 00001	600 x 300 x 40 mm



Stainless steel sterilisation basket 60 x 30 x 30 cm

This wire basket is stackable and is made of AISI 304L stainless steel wire, electropolished.

Product number	Dimensions (WxDxH)
30005 00012	575 x 280 x 270 mm

Stainless steel instrument baskets

AISI 304 stainless steel wire, active ingredient Nr 1.4301 (18/10 chrome nickel steel). Electropolished,

Wire framework: Ø 1.2 mm stainless steel wire; mesh width: 5.8 mm (inside dimensions).

Perforated stainless steel trays: Ø 0.8 mm thick. Oblique perforation pattern: Ø 2 mm; widthwise passage: 5 mm; heightwise passage: 6 mm.

Framework top: Ø 5 mm stainless steel wire, making stacking of the baskets possible.

2 stainless steel wire retractable handles: Ø 5 mm (with exception of the 120 x 250 x 60 mm basket).

The 480 x 250 x 60 and 240 x 250 x 60 mm baskets can be supplied with a lid.

The baskets are made to the highest quality standards. The baskets are entirely free of welding burrs, openings, distortion of wires or weld discolouration.



Stainless steel instrument baskets in compliance with DIN standards

	Product number	Dimensions (WxDxH)
DIN 1/4	30006 00005	120 x 250 x 60 mm
DIN 1/2	30006 00007	240 x 250 x 60 mm
DIN 1/1	30006 00012	480 x 250 x 60 mm
DIN 1/1 high	30006 00011	480 x 250 x 100 mm
DIN 1/2 high	30006 00020	240 x 250 x 100 mm



Stainless steel lids for DIN baskets

	Product number	Dimensions (WxDxH)
Lid DIN 1/2	30006 00009	240 x 250 mm
Lid DIN 1/1	30006 00014	480 x 250 mm



Stainless steel instrument baskets

Product number	Dimensions (WxDxH)
30006 00026	120 x 300 x 60 mm
30006 00018	240 x 300 x 60 mm
30006 00015	480 x 300 x 60 mm

Fine-mesh, stainless steel instrument baskets with lid

AISI 304 stainless steel wire, active ingredient Nr 1.4301 (18/10 chrome nickel steel).

Mesh size of bottom and lid: 3 x 3 mm.
 Perforated raised sides (Ø 2 mm hole size).
 2 patented teflon locks on lid; user-friendly and ergonomic.

The baskets are made to the highest quality standards. The baskets are entirely free of welding burrs, openings, distortion of wires or weld discolouration.



Fine-mesh stainless steel baskets

Product number	Dimensions (WxDxH)
30007 00001	120 x 250 x 40 mm
30007 00002	240 x 250 x 40 mm
30007 00003	480 x 250 x 40 mm

Endoscope baskets

AISI 304 stainless steel wire, active ingredient Nr 1.4301 (18/10 chrome nickel steel).

Mesh size: 20 x 30 mm. Lid mesh size: 7 x 7 mm.
 Patented teflon lock on lid; user-friendly and ergonomic.

The baskets are made to the highest quality standards. The baskets are entirely free of welding burrs, openings, distortion of wires or weld discolouration.




Endoscope baskets

Product number	Dimensions (WxDxH)
30008 00001	290 x 120 x 54 mm
30008 00003	460 x 120 x 54 mm

Inox wire shelves

AISI 304 stainless steel.
Electropolished, high gloss finish.
2 grips.



Inox wire shelves

Product number	Dimensions (WxD)
30003 00003	600 x 300 mm
30003 00004	600 x 400 mm
30003 00005	600 x 600 mm

Catheter holder

AISI 304 stainless steel, electropolished, glass finish.
Bottom of catheter holder adjusts in 25 mm increments (15 steps maximum), making it suitable for 160 - 500 mm catheters.
The framework top is separated into 3 compartments.

A connecting unit 20 mm pipe fittings.
Can be attached to a universal rail 10 x 20 mm.



Catheter holders in sliding frame



Catheter holder

Effective inside dimensions: 120 x 60 mm in 3 compartments of 40 x 60 mm.

Product number	Dimensions (WxDxH)
30004 00001	135 x 85 x 530 mm

Stericart

This modular trolley is resistant to the high temperatures of an autoclave and suitable for use in a wash tunnel or wash cubicle. It is made entirely of corrosion-resistant components, heat-resistant plastic and AISI 304 stainless steel with an electropolished finish.

The trolley comes with 11 pairs of stainless steel L-shaped rails installed at 126 mm intervals.

Running gear: 4 swivel castors Ø 100 mm, with an inox fork with heat-resistant bearing surface. Stericarts are resistant against temperatures of up to 150°C.

Other dimensions available on request.



Stericart



Product number	Dimensions (WxDxH)
30009 00004	460 x 630 x 1650 mm
30009 00007	660 x 630 x 1650 mm



Pully

Stainless steel cart fitted with plastic handle for pulling the Stericart out of the autoclave.

Product number
30002 00001